## Amendments to the Claims:

The listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

1. (Currently Amended) A computerized system providing a multi-modal text editing correction environment comprising:

an application program, owning a document;

a plurality of input device handlers, each handler having a corresponding input device and capable of entering text into the document, each handler also having a method callable by the application program to request at least one of:

that the handler to return correction content for display by the application program itself for text specified by the application program that was entered into the document by the handler, and

that the handler display a correction interface thereof for correction of the text specified by the application program that was entered into the document by the handler;

a common text framework comprising:

a mechanism to track <u>initial</u> entry of <u>each specified portion of text</u> into the document by <u>each handler</u>, such that each handler is associated with <u>the specified portion</u> of text it enters into the document; and,

a correction interface callable by the application program <u>after initial entry</u> of the specified text portion into the document, to determine a <u>responsible</u> handler <u>that</u> initially entered the specified text portion <u>responsible</u> for entering the specified text into



the document, wherein the correction interface determines the responsible handler based on the tracking mechanism, and calls the responsible handler for correction.

- 2. (Currently Amended) The system of claim 1, wherein the application program calls the method of an input device to request at least that the <u>responsible</u> handler return the correction content such that the application program manages correction of the specified text itself.
- 3. (Currently Amended) The system of claim 1, wherein the application program calls the method of the responsible handler to request at least that the responsible handler display a correction interface thereof such that the responsible handler manages correction of the specified text itself.
- 4. (Currently Amended) The system of claim 1, wherein the mechanism to track entry of text into the document by <u>each</u> handler associates each contiguous range of text entered into the document by a single handler to the single handler.
- 5. (Currently Amended) The system of claim 4, wherein the mechanism to track entry of text into the document by <u>each</u> handler further attaches a property to each contiguous range of text identifying the single handler for the contiguous range of text.
- 6. (Currently Amended) A machine-readable medium having instructions stored thereon for execution by a processor to implement a computer program providing a common text framework for at least multi-modal text editing corrections comprising:

a mechanism to track <u>initial</u> entry of text into a document owned by an application program by <u>each of a plurality of</u> input device <u>handlers</u> handler, such that each of a



<del>plurality of</del> input device <u>handler handlers</u> is associated with text it enters into the document; and,

a correction interface callable by the application program <u>after initial text entry</u> to determine <u>a responsible</u> <del>an</del> input device handler responsible for <u>initially</u> entering specified text into the document <u>and for calling upon the responsible input device handler</u> to assist in correction of the specified text.

- 7. (Original) The medium of claim 6, wherein the mechanism associates each contiguous range of text entered into the document by a single handler to the single handler.
- 8. (Original) The medium of claim 7, wherein the mechanism further associates a property to each contiguous range of text identifying the single handler for the contiguous range of text.
- 9. (Currently Amended) A computer-implemented method comprising:
  entering text into a document owned by an application by a handler for an input
  device, via a common text framework governing interaction between the application and
  the handler for the input device, such that the application exposes the document as an
  abstraction; and,

tracking of the <u>initial entry of</u> text entered into the document by the handler for the input device by the common text framework;

K

requesting of the common text framework by the application of an identity of a particular handler that was responsible for initially entering specified text into the document;

returning by the common text framework to the application the identity of the particular handler that was responsible for initially entering the specified text into the document; and

requesting by the application of correction information from the particular handler.

10. (Original) The method of claim 9, wherein tracking of the text entered into the document by the handler for the input device by the common text framework comprises attaching a property to a range of the document corresponding to the text entered, the property identifying the handler for the input device.

## 11. (Canceled)

- (Currently Amended) The method of claim 911, wherein requesting the 12. common text framework comprises requesting the identity of the particular handler responsible for entering specified text into a specified range of the document.
- (Currently Amended) The method of claim <u>9</u>11, further comprising: 13. requesting by the application of the particular handler to return correction content for the specified text for display by the application itself; and,

returning by the particular handler to the application the correction content for the specified text.

- 14. (Original) The method of claim 13, further comprising displaying by the application of the correction content.
- 15. (Original) The method of claim 13, wherein the application manages corrections to the specified text itself.
- 16. (Original) The method of claim 13, further comprising:
  requesting by the application of the particular handler that the particular handler
  display a correction interface thereof for correction of the specified text; and,
  displaying by the particular handler of the correction interface.
- 17. (Original) The method of claim 16, wherein the particular handler manages corrections to the specified text itself.
- 18. (Currently Amended) The method of claim <u>9</u>11, further comprising: requesting by the application of the particular handler that the particular handler display a correction interface thereof for correction of the specified text; and, displaying by the particular handler of the correction interface.
- 19. (Original) The method of claim 18, wherein the particular handler manages corrections to the specified text itself.
- 20. (Currently Amended) A computer-implemented method comprising:
  entering text into a document owned by an application by a handler for an input
  device, via a common text framework governing interaction between the application and



Appl. No. 09/557,739 Amdt. dated February 5, 2004 Reply to Office Action of November 7, 2003

the handler for the input device, such that the application exposes the document as an abstraction;

tracking of the text entered <u>during initial text processing</u> into the document by the handler for the input device by the common text framework;

requesting of the common text framework by the application of an identity of a particular handler responsible for entering specified text <u>during initial text processing</u> into the document;

returning by the common text framework to the application the identity of the particular handler <u>that was responsible</u> for entering the specified text into the document <u>during initial text processing</u>; and,

requesting by the application program, after initial text processing and after returning of the identity of the particular handler, of the particular handler at least one of:

that the handler return correction content for display by the application itself for the specified text; and,

that the handler display a correction interface thereof for correction of the specified text.

X